Manner: UNDETERMINED

Deaths are certified as undetermined (or unclassified) manner of death when serious doubt exists as to whether a person met his or her death intentionally or accidentally. Information concerning the circumstances may be lacking because of the absence of background information or witnesses, or because of a lengthy delay between death and discovery of the body. If an extensive investigation and autopsy cannot clarify the circumstances, the death is placed in this category. Within King County, there were 89 deaths with manner unclassified or undetermined, accounting for 6% (89/1506) of the Medical Examiner death investigations for the calendar year 2000. Drugs caused twenty-nine (33%) of the 89 deaths of undetermined manner. For a more detailed review of drug-caused deaths in 2000, see also the discussion in the section on Drugs and Poisons on pages 79 & 80.

Graph 8-1 Undetermined Circumstances in 2000






Table 8-1 Undetermined Circumstances and Race of the Decedent

RACE									
CIRCUMSTANCES / GENDER	WHITE	BLACK	ASIAN	NATIVE AMERICAN	OTHER	SUB TOTAL	TOTAL		
Asphyxia	5	0	0	0	0		5		
Male Female		0 0	0 0	0 0	0 0	5 0			
Burns, Fire/Heat	1	0	0	0	0		1		
Male Female		0 0	0 0	0 0	0 0	0 1			
Blunt Impact	12	1	0	1	1		15		
Male Female		1 0	0 0	1 0	1 0	10 5			
Carbon Monoxide	3	0	0	0	0		3		
Male Female		0 0	0 0	0 0	0 0	2 1			
Drowned	3	3	3	0	0		9		
Male Female		2 1	3 0	0 0	0 0	8 1			
Drugs/poisons	25	1	2	0	1		29		
Male Female		1 0	1 1	0 0	0 1	14 15			
Fall	2	0	0	0	0		2		
Male Female		0 0	0 0	0 0	0 0	2 0			
Firearm	1	0	1	0	0		2		
Male Female		0 0	1 0	0 0	0	2 0			
No anatomic or toxicologic cause of death	6	0	0	0	0		6		
Male Female		0 0	0 0	0 0	0 0	6 0			
Other	14	2	1	0	0		17		
Male Female		2 0	1 0	0 0	0 0	11 6			
Total	72	7	7	1	2		89		
Percent	81%	8%	8%	1%	2%				

Graph 8-2 Deaths Due to Undetermined Circumstances and Race of the Decedent



Graph 8-3 Deaths Due to Undetermined Circumstances and Age Group of the Decedent



Undetermined Circumstances and Age Group of the Decedent

Table 8-2

Table 0-2				UI	uie	Dece	tuei	IL					
	AGE GROUP (YEARS)												
INJURY METHOD / GENDER	<1	5 to 15	16 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +	SUB TOTAL	TOTAL
Asphyxia	0	3	0	0	2	0	0	0	0	0	0		5
Male Female		3	0	0	2	0	0	0	0	0	0	5 0	
Burns, Fire/Heat	0	0	0	1	0	0	0	0	0	0	0		1
Male Female		0	0 0	0 1	0	0	0 0	0 0	0	0	0	0 1	
Blunt Impact	0	0	0	1	1	7	1	1	2	1	1		15
Male Female		0 0	0 0	0 1	0 1	7 0	0 1	1 0	2	0 1	0 1	10 5	
Carbon Monoxide	0	1	0	0	1	0	0	1	0	0	0		3
Male Female		1 0	0	0	0 1	0	0	1 0	0	0	0	2 1	
Drowned	0	0	1	3	2	2	1	0	0	0	0		9
Male Female		0	1 0	2 1	2 0	2 0	1 0	0	0	0	0	8 1	
Drugs/poisons	2	0	0	6	6	12	1	1	0	1	0		29
Male Female		0	0	5 1	4 2	4 8	0 1	0 1	0	0 1	0	14 15	
Fall	0	0	0	0	0	1	0	1	0	0	0		2
Male Female		0	0	0	0 0	1 0	0	1 0	0	0	0	2 0	
Firearm	0	0	1	0	0	0	1	0	0	0	0		2
Male Female		0	1 0	0 0	0 0	0	1 0	0 0	0	0	0	2 0	
No anatomic or toxicological cause of death		0	0	0	1	4	0	0	1	0	0		6
Male Female		0	0	0	1 0	4 0	0	0 0	1 0	0	0	6 0	
Other	0	1	0	0	5	4	3	2	1	1	0		17
Male Female		1 0	0	0	4 1	2 2	2 1	1 1	0 1	1	0	11 6	
Total	2	5	2	11	18	30	7	6	4	3	1		89
Percent	2%	6%	2%	12%	20%	34%	8%	7%	5%	3%	1%		

Table 8-3 Undetermined Circumstances and Gender of the Decedent

GENDER MALE **FEMALE INJURY METHOD TOTAL** Asphyxia 5 0 5 Burns, Fire/Heat 0 1 1 **Blunt Impact** 10 5 15 2 1 3 Carbon Monoxide Drowned 8 1 9 Drugs/poisons 14 15 29 Fall 2 0 2 Firearms 2 0 2 No anatomic or toxicologic cause of death 6 0 6 17 Other 11 6 Total 29 89 60 Percent 67% 33%

Table 8-4 Undetermined Circumstances and Blood Alcohol
Test Results of the Decedent

METHOD	POSITIVE	NEGATIVE	NOT TESTED	TOTAL
Asphyxia	1	3	1	5
Burns, Fire/Heat	1	0	0	1
Blunt Impact	5	4	6	15
Carbon Monoxide	1	2	0	3
Drowned	6	1	2	9
Drugs/poisons	7	20	2	29
Fall	1	1	0	2
Firearms	0	2	0	2
No anatomic or toxicological cause of death	1	3	2	6
Other	5	9	3	17
Total	28	45	16	89